

## Mill Test Certificate

Bri-Steel Manufacturing Inc.

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.brichemsteel.com

Product: Seamless Carbon Steel Pipe

Product Heat Number: BSM-0179

Product Size:

**NPS 18 XS** 

Production Date: January 17, 2012

Production Method: **Hot Expansion** 

Product Heat Treatment: As-rolled

Product Standards: ASTM/ASME A/SA106-2010 Grade B/C, A/SA53-2010 Grade B Type S, NACE MR0175-2009

Product Markings: .BRI-STEEL MFG NPS 18 XS ASTM/ASME A/SA106 GR B/C A/SA53 GR B HEAT BSM-0179 (PIPE # LENGTH MASS) NDE 1370PSI NACE MR0175 2012/01 MADE IN CANADA.

|      | m           | Т           |           | Т              |
|------|-------------|-------------|-----------|----------------|
|      | BSM-0179    | Heat        |           |                |
|      | Heat        | Test Type   |           |                |
|      | 18          | NPS         |           | P              |
|      | XS          | SCH         |           | Product Detail |
|      | 1           | Pieces      |           | S              |
| 3000 | DRL         | Length      |           |                |
|      | 93.45       | lb/ft       | Mass      |                |
| ×    | <5          | μR/hr       | Geiger    |                |
|      | <20         | Gauss       | Res.Mag.  |                |
|      | Pass        | Insp.       | Visual    |                |
|      | Pass        | OD          |           | Non-D          |
|      | Pass        | WT          | TU        | estructive T   |
|      |             | ASTM E213   | TU        | esting         |
|      | Pass        | ASTM E309   | ET        |                |
|      | Pass        | 1370 psi/5s | HydroTest |                |
|      | 37.5° Bevel | Condition   | End       |                |

| BSM-0179               | Heat                      |                    |                         |
|------------------------|---------------------------|--------------------|-------------------------|
| Heat                   | Test Type                 |                    |                         |
| Refining; Vacuum Degas | Blast Furnace; EAF; Ladle | Steelmaking Method |                         |
| 0.19                   | С                         |                    |                         |
| 0.89                   | Mn                        |                    |                         |
| 0.019 0.009            | P                         |                    |                         |
| 0.009                  | S                         |                    | Chemica                 |
| 0.24                   | Si                        |                    | Chemical Analysis (wt%) |
| 0.03                   | Ç.                        |                    | (wt%)                   |
| 0.14                   | C                         |                    |                         |
| 0.02                   | Mo                        |                    |                         |
| 0.04                   | Z.                        |                    |                         |
| 0.004                  | <                         |                    |                         |
| 0.001                  | ∄                         |                    | 5                       |
| 0.002                  | Nb                        |                    |                         |
| 0.0002                 | В                         |                    |                         |
| 0.36                   | (MII)                     | Œ                  |                         |
| 0.37                   | (CSA)                     | 유                  |                         |

|              | BSM-0179 Heat      | Heat                               |                |                       |
|--------------|--------------------|------------------------------------|----------------|-----------------------|
|              | Heat               | Test Type                          |                |                       |
|              | Ferrite & Pearlite | Microstructure                     |                |                       |
|              | 75                 | HRBW                               | Hardness       |                       |
|              | Pass               | Flattening Test                    |                | Mechan                |
| Longitudinal | Transverse         | Flattening Test 50mm GL; 38mm x WT | Tension Test   | Mechanical Properties |
| 42,200       | 45,200             | psi                                | Yield (Rt0.5)  |                       |
| 41,300       | 38,400             | psi                                | Yield (Rp0.2)  |                       |
| 72,500       | 73,000             | psi                                | Tensile (Rm)   |                       |
| 0.58         | 0.62               | (Rt0.5/Rm)                         | Τ/Υ            |                       |
| 46           | 43                 | %                                  | Elongation (A) |                       |

Additional Details:

results meet the corresponding requirements. Inc. in accordance with ASTM/ASME A/SA106-2010, A/SA53-2010 and the purchase order requirements, and that the ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing

Service, and NACE MR0103-2010 Section 2.1. ✓ This pipe product meet the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour

 $\prime$  No weld repairs have been performed on this product. This product has no mercury contamination

This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

2012 Feb 3

Manager of Quality and R&D Kenton Dechant, P.Eng.