

## Mill Test Certificate

Bri-Steel Manufacturing Inc.

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.brichemsteel.com

Product: Seamless Carbon Steel Pipe

Product Heat Number:

BSM-0312

Product Size:

NPS 20 STD

Production Date: May 1, 2012

Production Method: **Hot Expansion** 

Product Standards:

Product Heat Treatment: As-rolled

ASTM/ASME A/SA106-2011 Grade B/C, A/SA53-2010 Grade B Type S, NACE MR0175-2009

Product Markings: .BRI-STEEL MFG NPS 20 STD ASTM/ASME A/SA106 GR B/C A/SA53 GR B HEAT BSM-0312 (PIPE # LENGTH MASS) 78.6Ib/ft NDE 910PSI NACE MR0175 2012/05 MADE IN CANADA.

		_		_
	BSM-0312	Heat		
	Heat	Test Type		
	20	NPS		P
	STD	SCH		Product Detail:
	6	Pieces		ls
	DRL	Length		
	78.60	lb/ft	Mass	
	<5	μR/hr	Geiger	
	<20	Gauss	Res.Mag.	
	Pass	Insp.	Visual	
	Pass	OD		Non-[
	Pass	WT	TU	Non-Destructive T
200 1000	1	ASTM E213	TU	e Testing
000000000000000000000000000000000000000	Pass	213 ASTM E309   910 psi/5s	ET	
	Pass	910 psi/5s	HydroTest	
	37.5° Bevel	Condition	End	

	BSM-0312	Heat		
	Heat	Test Type		
	Refining; Vacuum Degas	Blast Furnace; EAF; Ladle	Steelmaking Method	
	0.21	С		
	0.89	Mn		
	0.013	Р		
	0.012	S		Chemical
	0.22	Si		Analysis (wt%)
10000000	0.03	Cr		(wt%)
200 CO	0.14	Cu		
20000000	0.02	Mo		
	0.04	N.	20	
0.000	0.003	<		
0	0.001	I		
1	0.002	Nb		
	0.0002	В		
	0.38	(IW)	CE	
	0.39	(CSA)	Œ	

	<u>@</u>			Γ
	SM-0312	Heat		
	Heat	Test Type		
	Ferrite & Pearlite	Microstructure		
	75	HRBW	Hardness	
	Pass	Flattening Test		Mechan
Longitudinal	Transverse	50mm GL; 38mm x WT	Tension Test	Mechanical Properties
46,500	43,900	psi	Yield (Rt0.5)	
46,100	42,600	psi	Yield (Rp0.2)	
73,500	72,500	psi	Tensile (Rm)	
0.63	0.61	(Rt0.5/Rm)	Τ/Υ	
40	40	%	Elongation (A)	
	46,500 46,100 73,500	75 Pass Transverse 43,900 42,600 72,500 Longitudinal 46,500 46,100 73,500	e Microstructure HRBW Flattening Test 50mm GL; 38mm x WT psi psi psi (Rt0.5/Rm)   Ferrite & Pearlite 75 Pass Transverse 43,900 42,600 72,500 0.61   Longitudinal 46,500 46,100 73,500 0.63	e Microstructure Hardness Tension Test Yield (Rt0.5) Yield (Rp0.2) Tensile (Rm) Y/T Elong:   Ferrite & Pearlite 75 Pass Transverse 43,900 42,600 72,500 0.63 0.63

Additional Details:

results meet the corresponding requirements. Inc. in accordance with ASTM/ASME A/SA106-2011, A/SA53-2010 and the purchase order requirements, and that the We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing

Service, and NACE MR0103-2010 Section 2.1. No weld repairs have been performed on this product. This product has no mercury contamination.

✓ This pipe product meet the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour

 $\checkmark~$  This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

Manager of Quality and R&D Kenton Dechant, P.Eng.

2012 May 9