

Mill Test Certificate

Bri-Steel Manufacturing Inc. 2125-64 Avenue, Edmonton, AB Canada T6P 1Z4

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.brichemsteel.com

Product: Seamless Carbon Steel Pipe

Product Heat Number:

BSM-0450

Product Size:

NPS 18 XS

August 22, 2012

Production Method: Hot Expansion

Product Markings:

Production Date:

Product Heat Treatment: As-rolled

Product Standards: ASME B36.10-2004, API 5L-44th Ed. Grade B PSL1, ASTM/ASME A/SA106-2011 Grade B, A/SA53-2012 Grade B Type S, NACE MR0175-2009, MR0103-2010

Product Details Non-Destructive Testing

.BRI-STEEL MFG <API> 51-0898 API 51 GR B PSL1 ASTM/ASME A/SA106 GR B A/SA53 GR B NPS 18 XS HEAT BSM-0450 (PIPE # LENGTH MASS) 93.451b/ft NDE 1180PSI SMIS NACE MR0175 2012/08 MADE IN CANADA.

					_				
BSM-0450		Heat				BSM-0450 Heat	Heat		
Vacuum	Blast Furnace; EAF; Ladle Refining;	Steelm				Heat	Test Type		
Vacuum Degas: Fully Killed Product 0.18 0.00 0.011 0.010 0.23 0.06	; EAF; Ladle R	Steelmaking Method				18	NPS		
δ.	efining;	_				XS	Thickness	Wall	
Prod: 1	Heat	Analysis				14	Pieces		
∩1×	0.20	n				DRL	Length		
200	0.92	<u>S</u> n					Şth —		
211	0.009	Ρ				93,45	lb/ft	Mass	
225	0.013	s		Chemical Analysis (wt%)	} !	6	μR/hr	Geiger	
222	0.23	Si		Analysis (<20	Gauss	Res.Mag.	
200	0.06	ç,		wt%)			SS	lag.	
2	0.09	೮				Pass	insp.	Visual	
	0.01	Мо				Pass	QD		
2	0.07	Z,				Pa	WT	_	
3	1	<				Pass		_	0
3	,	=1				Pass	STM E213	두	0
0 001	t	Νb				Pass	ASTM E30	Ξ	
0 003 0 001 0 001 0 35 0 36	0.0003	B (Pass	ASTM E213 ASTM E309 1180 psi/5s Condition	HydroTest	
מכי	٦	(IIIW)	E			37.	/5s Co.		
0		(CSA)	Я			37.5° Bevel	ndition	End	

	BSM-0450	Heat			
	BSM-0450 Heat	Heat Test Type			
	Ferrite & Pearlite	Microstructure			
	77	HRBW	Hardness		
	Pass	Flattening Test		Mechan	
Longitudinal; 38.1mm x WT	Transverse; 38.1mm x WT	50mm GL	Tension Test	Mechanical Properties	
45,100	47,200	psi	Yield (Rt0.5)		
44,200	45,300	psi	Yield (Rp0.2)		
74,000	73,500	psi	Tensile (Rm)		
0.61	0.64	(Rt0.5/Rm)	۲/۲		
43	39	%	Elongation (A)		

Vacuum Degas; Fully Killed

Product

0.18

0.90

0.011 0.010 0.23

0.06

0.09

0.01

0.06

0.002

0.001

0.001

0.0001

0.35

0.36

Additional Details:

- and that the results meet the corresponding requirements. Inc. in accordance with API 5L-44th Ed., ASTM/ASME A/SA106-2011, A/SA53-2012 and the purchase order requirements, 🗸 We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing
- Service, and NACE MR0103-2010 Section 2.1. ✓ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour
- No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

2012 Aug 31

Manager of Quality and R&D Kenton Dechant, P.Eng.