

Mill Test Certificate

Bri-Steel Manufacturing Inc. 2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Tel: 001 (780) 469-6603

Tel: 001 (780) 469-6603 Fax: 001 (780) 469-6986

www.brichemsteel.com

Product: Seamless Carbon Steel Pipe

Product Heat Number:

BSM-1551 Produ

Product Size: 24 STD P

Production Date: Jan 21, 2014

Production Method: Hot Expansion

Product Heat Treatment: As-rolled

Certificate No.: MTR- 000760

Product Standards: ASME B36.10-2004, ASTM/ASME A/SA106-2013 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Product Markings NPS 24 STD 0.375 INCHWT SMLS 2014/01 NDE 750PSI

HEAT BSM-1551 (PIPE # LENGTH MASS) 94.62lb/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

34° Bevel	Pass	Pass	Pass	Pass	Pass	Pass	<10	ۍ	94.62	DRL	4	NPS 24 STD 0.375in. WT	Heat	BSM-1551
Condition	750 PSI/ 5 s Condition	ASTM	ASTM E213 ASTM	WT		Insp.	Gauss	μR/hr	lb/ft					
End	HydroTest	티	다	TU	OD	Visual	Res. Mag.	Geiger	Mass	Length	Pieces	Product Size	Test Type	Heat
			ive Testing	Non-Destructive Testing	NC							Product: Details		

	BSN		
		Heat	
Codas, ruly Nileco	Blast Furnace; EAF; Ladle Refining; Vacuum	Steelmaking Method	
Product	Heat	Test Type	
0.22	0.21	С	
	0.96	Mn	
0.010	0.010	Р	
0.014	0.010	S	Chemical
0.22	0.22	Si	Chemical Analysis (wt%)
0.04	0.04	Cr	wt%)
0.06	0.06	Cu	
0.02	0.02	Мо	
0.03	0.03	N:	
0.003		٧	
0.001		ΙT	
0.001		qN	
0.0002	0.0003	В	
0.40	-	CE(IIW)	
0.40	c	CE(CSA)	
	Product 0.22 0.98 0.010 0.014 0.22 0.04 0.06 0.02 0.03 0.003 0.001 0.001 0.0002 0.40	Heat 0.21 0.96 0.010 0.010 0.22 0.04 0.06 0.02 0.03 - 0.0003 - Product 0.22 0.98 0.014 0.22 0.04 0.06 0.02 0.03 0.003 0.001 0.000 0.40	Steelmaking Method Test Type C Mn P S Si Cr Cu Mo Ni V Ti Nb B CE(IIW) Blast Furnace; EAF; Ladle Refining; Vacuum Degas; Fully Killed Heat 0.21 0.96 0.010 0.010 0.22 0.04 0.06 0.02 0.03 0.001 0.001 0.0003 -

BSM-1551		Heat	
Heat		Test Type	
Ferrite & Pearlite		Microstructure	
76 HRBW		Hardness	
Pass		Flattening Test	
Longitudinal; 38.1 mm x WT	50mm GL	Tension Test	Mechanical Properties
49,000	psi	Yield (Rt0.5)	
72,500	psi	Tensile (Rm)	
0.68	(Rt0.5/Rm)	Υ/Τ	
35	%	Elongation (A)	

Heat	Test	Impact Test	Temp		Impact	Energy			% Shear	ear			Lateral Ex	(pansion	
	Standard	Sample Details	၁ိ	Ĺ	٦	ſ	AVG	%	%	%	AVG	mm	mm	mm	AVG
BSM-1551	31		r	-	1	1	ì	1		•		1	1	1	1

Additional Details:

- \checkmark We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in results meet the corresponding requirements accordance with ASTM/ASME A/SA106-2013 Grade B/C A/SA53-2012, and the purchase order requirements, and that the
- √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

2614 JAN 23

Paul Sowden, T.T. Assistant QA Manager