

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Fax: 001 (780) 469-6986 Tel: 001 (780) 469-6603

www.brichemsteel.com

Seamless Carbon Steel Pipe

Production Method:

Product Heat Number:

BSM-1572

Product Size: 20 X 0.950

Production Date:

Jan 28, 2014

Product Standards: Hot Expansion

Product Heat Treatment: As-rolled

ASME B36.10-2004, ASTM/ASME A/SA106-2013 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010 Certificate No.: MTR- 000800

Product Markings NPS 20 X 0.950 INCHWT SMLS 2014/01 NDE 2500PSI

ANUIZAGITUEINIONIMI HEAT BSM-1572 (PIPE # LENGTH MASS) 192.5Ib/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

	BSM-1572		Heat	
	Heat		Test Type	
	NPS 20 X 0.950in. WT		Product Size	Product: Details
	1		Pieces	
	DRL		Pieces Length	
	192.5	lb/ft	Mass	
	<5	μR/hr	Geiger	
	<10	Gauss	Res. Mag.	
	Pass	Insp.	Visual	
	Pass		OD	No
	Pass	WT	TU	on-Destruc
000000000000000000000000000000000000000	Pass	ASTM E213 ASTM	TU	Non-Destructive Testing
	Pass	ASTM	ΤЭ	
	Pass	2500 PSI/ 5 s	HydroTest	
	Plain End	5 _S Condition	End	

	Γ	BSM	T_	
	3	BSM-1572	Heat	
	C. Barrier and Million	Blast Furnace; EAF; Ladle Refining; Vacuum	Steelmaking Method	
	Product	Heat	Test Type	
	0.19	0.19	С	
	0.85	0.87	Mn	
	0.009	0.008	Р	
	0.003	0.003	S	Chemical Analysis (wt%)
	0.24	0.23	Si	Analysis (
	0.05	0.05	Cr	wt%)
	0.07	0.06	Cu	
	0.01	0.01	Mo	
	0.05	0.05	N:	
	0.003		٧	
W	0.001		Ti	
Charles of the second	0.001		Nb	
	0.0001	0.0003	В	
	0.35	1	CE(IIW)	
	0.35	1	CE(CSA)	

BSM-1572 Heat Ferrite & Pearlite 70 HRBW Pass Longitudinal; 19.05 mm x WT 39,000 67,000 0.58	50mm GL psi psi (Rt0.5/Rm)	Heat Test Type Microstructure Hardness Flattening Test Tension Test Yield (Rt0.5) Tensile (Rm) Y/T Elonga	Mechanical Properties	Elongatio %	Y/T (Rt0.5/Rm)	Tensile (Rm) psi 67,000	Yield (Rt0.5) psi 39,000	Mechanical Properties Tension Test 50mm GL Longitudinal; 19.05 mm x WT	100 E	Hardness 70 HRBW	Microstructure Ferrite & Pearlite	Test Type Heat	Heat BSM-1572
--	----------------------------	---	-----------------------	----------------	-------------------	-------------------------------	--------------------------------	--	-------	---------------------	-----------------------------------	-------------------	------------------

BSM-1572		Heat
	Standard	Test
1	Sample Details	Impact Test
ı	ငိ	Temp
t	_	
1	L	Impact
i	J	Energy
t	AVG	
1	%	
1	%	% SF
848	%	% Shear
ı	AVG	
t	mm	
ī	mm	Lateral Ex
1	mm	xpansion
1	AVG	

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with ASTM/ASME A/SA106-2013 Grade B A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.
- \checkmark This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

is Danyden 2014 JAN36

Paul Sowden, T.T.

Assistant QA Manager