

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.brichemsteel.com

Seamless Carbon Steel Pipe

Hot Expansion

Product Heat Number:

BSM-1580 Product Size: 20XS

Production Date: Jan 28, 2014

Product Heat Treatment: As-rolled

Certificate No.: MTR- 000805

ASME B36.10-2004, API 5L-45th Ed. Grade B/X42 PSL1, ASTM/ASME A/SA106-2013 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Product Markings

Product Standards: **Production Method:**

| STEEL | <API> 51-0898 API SPEC 5L NPS 20 XS 0.500 INCHWT GR B/X42 PSL1 SMLS 2014/01 NDE 1890PSI

HEAT BSM-1580 (PIPE # LENGTH MASS) 104.1lb/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

						Account of the factor								
34° Bevel	Pass	Pass	Pass	Pass	Pass	Pass	<10	<5	104.1	DRL	7	NPS 20 XS 0.500in. WT	Heat	BSM-1580
Condition	1890 PSI/ 5 s		ASTM E213 ASTM	WT		Insp.	Gauss	μR/hr	lb/ft					
End	HydroTest	티	디	UT	OD	Visual	Res. Mag.	Geiger	Mass	Length	Pieces	Product Size	Test Type	Heat
			ive Testing	Non-Destructive Testing	Nc							Product: Details		

	BSM-1580	Heat	
Degas, Folly Nileo	Blast Furnace; EAF; Ladle Refining; Vacuum	Steelmaking Method	
Product	Heat	Test Type	
0.22	0.20	С	
0.88	0.82	Mn	
0.015	0.013	Р	
0.015 0.008	0.008	S	Chemical Analysis (wt%)
0.32	0.30	Si	Analysis (
0.06	0.06	Cr	wt%)
0.01	0.01	Cu	
0.00		Mo	
0.04	0.04	N:	
0.003		٧	
0.003		11	8
0.001		Nb	
0.0002		В	
0.39	9	CE(IIW)	
0.39	1	CE(CSA)	

BSM-1580			
1580		Heat	000
Heat		Test Type	
Ferrite & Pearlite		Microstructure	
79 HRBW		Hardness	
Pass		Flattening Test	
Longitudinal; 38.1 mm x WT	50mm GL	Tension Test	Mechanical Properties
44,800	psi	Yield (Rt0.5)	
73,000	psi	Tensile (Rm)	
0.61	(Rt0.5/Rm)	Υ/Τ	
43	%	Elongation (A)	

BSM-1580		Heat
1	Standard	Test
i,	Sample Details	Impact Test
1	°C	Temp
	J	
,	J	Impact
t	J	: Energy
ı	AVG	
1	%	
-	%	% St
43	%	% Shear
·	AVG	0 14-
	mm	
ų.	mm	Lateral Ex
-	mm	xpansion
ı	AVG	

Additional Details:

- \checkmark We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in and that the results meet the corresponding requirements. accordance with API 5L-45th Ed., ASTM/ASME A/SA106-2013 Grade B/C A/SA53-2012, and the purchase order requirements
- \checkmark This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

2014 JAN 30

Paul Sowden, T.T.

Assistant QA Manager