

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.brichemsteel.com

Seamless Carbon Steel Pipe

Product Heat Number:

BSM-1582

Product Size: 20XS

Production Date: Jan 29, 2014

Production Method: Hot Expansion

Product Standards:

Product Markings

MBRI-STEEL

Product Heat Treatment: As-rolled

Certificate No.: MTR- 000810

ASME B36.10-2004, API 5L-45th Ed. Grade B PSL1, ASTM/ASME A/SA106-2013 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

	^	NPS 20 XS 0.500In. WI	7 Heat	PSCT-IAISE
	,	אותה שם ער ס רסמי. ועוד	1	200
lb/ft				
Length Mass	Pieces	Product Size	lest lype	Heat
$\frac{1}{2}$	1			
		Product: Details		
			Details	Product: Details

MANUFACTURERUE HEAT BSM-1582 (PIPE # LENGTH MASS) 104.1lb/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

| <API> 5L-0898 API SPEC 5L NPS 20 XS 0.500 INCHWT GR B PSL1 SMLS 2014/01 NDE 1890PSI

		BSM-1582	Heat	
	Degas, rany smea	Blast Furnace; EAF; Ladle Refining; Vacuum Degas; Fully Killed		
	Product	Heat	Test Type	
	0.21	0.19	С	
	0.91	0.85	Mn	
	0.019	0.019	P	
	0.020	0.019 0.009	S	Chemical
	0.91 0.019 0.020 0.25	0.22	Si	Chemical Analysis (wt%)
	0.08	0.06	Cr	wt%)
2000	0.01	0.00	Cu	
20 00 00	0.01		Мо	
	0.04	0.04	N:	
	0.003		٧	
	0.003		Ti	
The second second	0.001		dN	
	0.0003		В	
	0.39	,	CE(IIW)	
	0.39	,	CE(CSA)	

BSM-1582		Ŧ	
.582		Heat	
Heat		Test Type	
Ferrite & Pearlite		Microstructure	
76 HRBW		Hardness	1.02.14
Pass		Flattening Test	
Longitudinal; 38.1 mm x WT	50mm GL	Tension Test	Mechanical Properties
41,900	psi	Yield (Rt0.5)	
71,000	psi	Tensile (Rm)	
0.59	(Rt0.5/Rm)	1/γ	
43	%	Elongation (A)	

BSM-1582 -	Standar	Heat Test
	ırd	
ı	Sample Details	Impact Test
-	°C	Temp
-	J	
3	J	Impact
1	J	Energy
1	AVG	
1	%	**
t	%	% Shea
1	%	ear
•	AVG	
1	mm	
1	mm	Lateral Expansion
1	mm	(pansion
	AVG	

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with API 5L-45th Ed., ASTM/ASME A/SA106-2013 Grade B/C A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.
- \checkmark This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

Paul Sowden, T.T.

Assistant QA Manager