

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Fax: 001 (780) 469-6986 Tel: 001 (780) 469-6603

www.bri-steel.com

Product: Seamless Carbon Steel Pipe

Production Method:

Hot Expansion

Product Heat Number: BSM-1598

Product Heat Treatment:

As-rolled

Product Size: 20S100

Production Date: Feb 03, 2014

Certificate No.: MTR- 001500

Product Standards: ASME B36.10-2004, ASTM/ASME A106-2014/SA106-2013 Grade B NDE, A53-2012/SA53-2013 Grade B Type S, NACE MR0175-2009 MR0103-2012

Product Markings

NPS 20 SCH 100 1.281 INCHWT SMLS 2014/02 NDE

HEAT BSM-1598 (PIPE # LENGTH MASS) 256.1Ib/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

| - | | | | | | | and the same of th | 110000000000000000000000000000000000000 | | | | | | |
|-----------|-----------|------|----------------|-------------------------|------|--------|--|---|-------|--------|--------|----------------------------|-----------|----------|
| Plain En | * | Pass | Pass | Pass | Pass | Pass | <10 | % | 256.1 | DRL | 1 | NPS 20 SCH 100 1.281in. WT | Heat | BSM-1598 |
| Condition | | ASTM | ASTM E213 ASTM | WT | | Insp. | Gauss | μR/hr | lb/ft | | | | | |
| End | HydroTest | 円 | T. | 듸 | 90 | Visual | Res. Mag. | Geiger | Mass | Length | Pieces | Product Size | Test Type | Heat |
| | | | tive Testing | Non-Destructive Testing | N | | | | | | | Product: Details | | |
| | | | | | | | | | | | | | - | |

| | | BSM-1598 | Heat | |
|-------|---------------------|--|--------------------|-------------------------|
| | Degas, Fully Nilled | Blast Furnace; EAF; Ladle Refining; Vacuum | Steelmaking Method | |
| | Product | Heat | Test Type | |
| | 0.19 | 0.20 | С | |
| | 0.85 | 0.91 | Mn | |
| | 0.008 | 0.011 | Р | |
| | 0.003 | 0.011 | S | Chemical |
| _ | 0.23 | 0.23 | Si | Chemical Analysis (wt%) |
| 0.00 | 0.05 | 0.05 | Cr | wt%) |
| 0.00 | 0.06 | 0.05 | Cu | |
| 0.01 | 0.01 | 0.01 | Mo | |
| 0.0. | 0.04 | 0.05 | N: | |
| 0.000 | 0.003 | | < | |
| 0.00 | 0.001 | | Ti | |
| | 0.000 | | Nb | |
| 0.000 | 0.0001 | 0.0003 | В | |
| 0.00 | 0.35 | - | CE(IIW) | |
| 0.00 | 0.35 | 1 | CE(CSA) | |

| BSM-1598 Heat Ferrite & Pearlite 72 HRBW Pass Longitudinal; 19.05 mm x WT | 50mm GL | Heat Test Type Microstructure Hardness Flattening Test Tension Test | Mechanical Properties |
|---|------------|---|-----------------------|
| IRBW | | | |
| Pass | | lattening Test | ~ |
| Longitudinal; 19.05 mm x WT | 50mm GL | Tension Test | 1echanical Properties |
| 37,300 | psi | Yield (Rt0.5) | |
| 66,500 | psi | Tensile (Rm) | 2000 |
| 0.56 | (Rt0.5/Rm) | Υ/Τ | |
| 48 | % | Elongation (A) | |

| Heat | Test | Impact Test | Temp | | Impact | Energy | | | % Shear | near | | | Lateral Expansion | xpansion | |
|----------|----------|----------------|------|---|--------|--------|-----|---|---------|------|-----|----|-------------------|----------|-----|
| | Standard | Sample Details | ာိ | ſ | ľ | ſ | AVG | % | % | % | DAM | mm | mm | mm | AVG |
| BSM-1598 | | E. | ı | ŧ | - | - | | | Ü | _ | 1 | | - | t | ı |

Additional Details:

✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with corresponding requirements. Bri-Steel Manufacturing is registered and certified to ISO-9001:2008 and API Q1. ASTM/ASME A106-2014/SA106-2013 Grade B A53-2012/SA53-2013, and the purchase order requirements, and that the results meet the

Mill Test Certificate approved by:

√ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2012 Section 2.1

✓ No weld repairs have been performed on this product.

 \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes

* Note that this product was hydrotested to 1000 psi for 5 seconds.

 \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Assistant QA Manager

Tonya Lam, C.E.T.