

## Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc. Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.brichemsteel.com

Seamless Carbon Steel Pipe

Product Heat Number:

BSM-1600

Product Size: 20S100

Production Date: Feb 03, 2014

Hot Expansion

As-rolled

Certificate No.: MTR- 000865

Production Method:

Product Standards:

ASME B36.10-2004, ASTM/ASME A/SA106-2013 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010 Product Heat Treatment:

**Product Markings** 

| NPS 20 SCH 100 1.281 INCHWT SMLS 2014/02 NDE

HEAT BSM-1600 (PIPE # LENGTH MASS) 256.1lb/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

BSM-1600 F		Heat Tes	
Heat		Test Type	
NPS 20 SCH 100 1.281in. WT		Product Size	Product: Details
1		Pieces	
DRL		Length	
256.1	lb/ft	Mass	
<5	μR/hr	Geiger	
<10	Gauss	Res. Mag.	
Pass	Insp.	Visual	
Pass		OD	No
Pass	TW	TU	on-Destruc
Pass	ASTM E213	TU	Non-Destructive Testing
Pass	ASTM	ET	
*		HydroTest	77.0
Plain End	Condition	End	

	BSM-1600		Heat	
	Blast Furnace; EAF; Ladle Refining; Vacuum Degas; Fully Killed		Steelmaking Method	
0000	Product 0.19	Heat	Test Type	388
7.000	0.19	0.21	С	
	0.91	0.96	Mn	
	0.011	0.009	Р	
	0.011 0.004	0.003	S	Chemical Analysis (wt%)
33	0.30	0.33	Si	Analysis (
	0.05	0.05	Cr	wt%)
	0.06	0.05	Cu	
	0.01	0.01	Mo	
	0.02	0.02	Ni	200000
	0.002	0.001	٧	
	0.002	0.002	Ti	
	0.001	0.001	Nb	
	0.0002	0.0002	В	
	0.36	-	CE(IIW)	
	0.36		CE(CSA)	

BSM-1600		Heat	
Heat		Test Type	
Ferrite & Pearlite		Microstructure	
74 HRBW		Hardness	
Pass		Flattening Test	
Longitudinal; 19.05 mm x WT	50mm GL	Tension Test	Mechanical Properties
41,800	psi	Yield (Rt0.5)	
67,500	psi	Tensile (Rm)	
0.62	(Rt0.5/Rm)	Τ/Υ	
50	%	Elongation (A)	

	BSM-1600		Heat
Thomas and the second s	1	Standard	Test
	ı	Sample Details	Impact Test
	1	°C	Temp
	ı	J	
ľ	ı	J	Impac
		J	t Energy
	1	AVG	
		%	
	,	%	% Shear
		%	near
	•	AVG	
	1	mm	
		mm	Lateral Expansion
		mm	xpansion
	1	AVG	

## Additional Details:

 $\checkmark$  We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with ASTM/ASME A/SA106-2013 Grade B A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.

Mill Test Certificate approved by:

√ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1

✓ No weld repairs have been performed on this product.

 $\checkmark$  This product has not come into contact with mercury during the Bri-Steel Manufacturing processes

✓ This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

\* Note that this product was hydrotested to 1000 psi for 5 seconds

Paul Sowden, T.T.

2014 FEB 14

Assistant QA Manager