

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.bri-steel.com

Product: Seamless Carbon Steel Pipe

Product Heat Number:

BSM-1607

Product Size: 20S100

Production Date:

Feb 05, 2014

Certificate No.: MTR- 001254

Production Method: **Hot Expansion**

Product Heat Treatment: As-rolled

ASME B36.10-2004, ASTM/ASME A/SA106-2013 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Product Markings

Product Standards:

NPS 20 SCH 100 1.281 INCHWT SMLS 2014/02 NDE

MANUFACTURE HEAT BSM-1607 (PIPE # LENGTH MASS) 256.1lb/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

	BSM-1607		Heat	
	Heat		Test Type	
	NPS 20 SCH 100 1.281in. WT		Product Size	Product: Details
	2		Pieces	
	DRL		Length	
	256.1	lb/ft	Mass	
	<5	μR/hr	Geiger	
	<10	Gauss	Res. Mag.	
	Pass	Insp.	Visual	
	Pass		OD	Z
	Pass	TW	TU	Non-Destructive Testing
	Pass	ASTM E213 ASTM	TU	tive Testing
	Pass	ASTM	ET	
30000	*		HydroTest	
	Plain End	Condition	End	

	BSM-1607	Heat	
_) Ť	
Cogas, Fully Stiller	Blast Furnace; EAF; Ladle Refining; Vacuum	Steelmaking Method	
Product	Heat	Test Type	
0.19	0.19	С	
0.85	0.82	Mn	
0.007	0.008	Р	
0.007 0.011	0.008	S	Chemical
0.20	0.21	Si	Chemical Analysis (wt%)
0.05	0.05	Cr	wt%)
0.06	0.06	Сп	
0.01	0.02	Mo	
0.03	0.03	N:	
0.002		٧	
0.001		П	
0.001		Nb	
0.0002	0.0002	В	
0.35	(r)	CE(IIW)	
0.35	,	CE(CSA)	

	BSM-1607		Heat	
	Heat		Test Type	
	Ferrite & Pearlite		Microstructure	
	71 HRBW		Hardness	V112000
	Pass		Flattening Test	
	Longitudinal; 19.05 mm x WT	50mm GL	Tension Test	Mechanical Properties
	36,400	psi	Yield (Rt0.5)	
	64,500	psi	Tensile (Rm)	
	0.56	(Rt0.5/Rm)	Τ/Υ	
The second secon	50	%	Elongation (A)	

Heat	Test	Impact Test	Temp		Impact	Energy			% Sh	Shear			Lateral Ex	(pansion	
	Standard	Sample Details	ငိ	٢	J	J	AVG	%	%	%	AVG	mm	mm	mm	AVG
BSM-1607	*	1		1		1		t	ı	ı	ľ		1		ı

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in meet the corresponding requirements. accordance with ASTM/ASME A/SA106-2013 Grade B A/SA53-2012, and the purchase order requirements, and that the results
- √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- ✓ This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.
- * Note that this product was hydrotested to 1000 psi for 5 seconds.

Mill Test Certificate approved by:

Inly . 17.2014

Tonya Lam, C.E.T.

Assistant QA Manager