

## Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.bri-steel.com

Product: Seamless Carbon Steel Pipe Product Heat Number:

**Hot Expansion** 

Product Heat Treatment:

As-rolled

BSM-1690 Product Size: 24 X 0.350

Production Date:

Mar 10, 2014

Certificate No.: MTR- 000951

**Product Markings** 

Product Standards: Production Method:

| STEEL | <API & L/C No. > API SPEC 5L NPS 24 X 0.350 INCHWT GR B/X42 PSL1 SMLS 2014/03 NDE 1180PSI HEAT BSM-1690 (PIPE # LENGTH MASS) 88.311b/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

ASME B36.10-2004, API 5L-45th Ed. Grade B/X42 PSL1, ASTM/ASME A/SA106-2013 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

00.00			. 200		. 550	. 550	3.0	(	000		,			1000
32.5° Bevel	Pass	Pass	Pass	Pass	Pass	Pass	<10	<5	15.88	DRI	1	NPS 24 X 0.350in. WT	Heat	BSM-1690
Condition	1180 PSI/ 5 s Condition		ASTM E213 ASTM	TW		Insp.	Gauss	μR/hr	lb/ft					
End	HydroTest		_		0	Visual	Kes. Mag.	Geiger	Mass	Length	Pieces	Product Size	lest lype	неат
1		1			2		,			100 mmm	,		-	
			ive Testing	Non-Destructive Testing	Nc							Product: Details		

	BSM-1690	Heat		
Degas; rully villed	Blast Furnace; EAF; Ladle Refining; Vacuum	Steelmaking Method		
Product	Heat	Test Type		
0.23	0.22	С		
0.90	0.86	Mn		
0.90 0.017	0.020	Р		
0.013	0.007	S	Chemical	
0.27	0.30	Si	Chemical Analysis (wt%)	
0.05	0.06	Cr	wt%)	
0.01	0.01	Cu		
0.00		Мо		
0.04	0.03	Ni		
0.003		٧		
0.002	2002	Ti		
0.001		Nb		
 0.0002		В		
0.39	,	CE(IIW)		
0.39	1	CE(CSA)		

	BSM-1690		_	
	1690		Heat	
	Heat		Test Type	
	Ferrite & Pearlite		Microstructure	
500000000000000000000000000000000000000	79 HRBW		Hardness	
	Pass		Flattening Test	_
	Longitudinal; 38.1 mm x WT	50mm GL	Tension Test	Mechanical Properties
2000 gr	54,500	psi	Yield (Rt0.5)	
	77,000	psi	Tensile (Rm)	
000 000	0.71	(Rt0.5/Rm)	1/4	
	41	%	Elongation (A)	

	BSM-1690		Heat
	)	Standard	Test
	F	Sample Details	Impact Test
	-	)°	Temp
	-	J	
	-	ſ	Impact Energy
	1	J	Energy
		AVG	
	•	%	
	1	%	% Shear
	t	%	ear
	r	AVG	
		mm	
	1	mm	Lateral Ex
	i	mm	Expansion
	i	AVG	

## Additional Details:

- 🗸 We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in and that the results meet the corresponding requirements. accordance with API 5L-45th Ed., ASTM/ASME A/SA106-2013 Grade B/C A/SA53-2012, and the purchase order requirements,
- $\checkmark$  This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- $\checkmark$  This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- $\checkmark$  This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

Manager of Quality and R&D Kenton Dechant, P.Eng.

2014 Marit