

## Mill Test Certificate

Bri-Steel Manufacturing Inc. 2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Tel: 001 (780) 469-6603

Tel: 001 (780) 469-6603 Fax: 001 (780) 469-6986

www.bri-steel.com

BSM-1731 Product Size: 16S100 Production Date: Mar 26, 2014

Hot Expansion Product Heat Treatment: As-rolled Certificate No.: MTR- 000989

Production Method:

Product:

Seamless Carbon Steel Pipe

Product Heat Number:

Product Standards: ASME B36.10-2004, ASTM/ASME A/SA106-2013 Grade B/C NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Product Markings NPS 16 SCH 100 1.031 INCHWT SMLS 2014/03 NDE

MANUFAGUERREIUM HEAT BSM-1731 (PIPE # LENGTH MASS) 164.8lb/ft A

MANUFAGIURINGING HEAT BSM-1731 (PIPE # LENGTH MASS) 164.8lb/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

Plain End	*	Pass	Pass	Pass	Pass	Pass	<10	S	164.8	DRL	3	NPS 16 SCH 100 1.031in. WT	Heat	BSM-1731
Condition		ASTM	ASTM E213 ASTM	WT		Insp.	Gauss	μR/hr	lb/ft					
End	HydroTest	ET	UT	TU	OD	Visual	Res. Mag.	Geiger	Mass	Length	Pieces	Product Size	Test Type	Heat
			tive Testing	Non-Destructive Testing	N							Product: Details		

		BSM-1731	Heat	
	Cogno, runy amou	Blast Furnace; EAF; Ladle Refining; Vacuum	Steelmaking Method	
	Product	Heat	Test Type	
	ct 0.20	0.20	С	
	0.91	0.89	Mn	
	0.91 0.015	0.011	þ	
	0.00	0.002	S	Chemical
	2 0.30	0.31	Si	Chemical Analysis (wt%)
100 VIII 100	0.06	0.05	Cr	wt%)
	0.08	0.06	Cu	
	0.01	0.00	Мо	
	0.03	0.03	N:	
And the second second second	0.003	0.003	٧	
	0.002	0.002	П	
	0.001	0.001	Мb	
	0.0003	0.0003	В	
	0.38	ľ	CE(IIW)	
***************************************	0.38	•	CE(CSA)	

BSM-1731			
1731		Heat	
Heat		Test Type	
Ferrite & Pearlite		Microstructure	
76 HRBW		Hardness	0.00
Pass		Flattening Test	
Longitudinal; 19.05 mm x WT	50mm GL	Tension Test	Mechanical Properties
46,700	psi	Yield (Rt0.5)	
70,500	psi	Tensile (Rm)	
0.66	(Rt0.5/Rm)	Υ/Τ	
47	%	Elongation (A)	

	1		1	1			t	- 5	ı	,		ı	21	•	BSM-1731
AVG % % AVG mm mm mm	% % % AVG mm	% % % AVG	% % %	4VG % % %	4VG   %   %	AVG %	٩VG	<b>,</b>	J	J	J	ငိ	Sample Details	Standard	
% Shear Lateral Expansion		% Shear	% Shear	% Shear	% SI				Energy	Impact		Temp	Impact Test	Test	Heat

## Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with ASTM/ASME A/SA106-2013 Grade B/C A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.
- √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- $\checkmark$  This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- $\checkmark$  This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

\* Note that this product was hydrotested to 1000 psi for 5 seconds.

- Assistant QA
- Assistant QA Manager

Paul Sowden, T.T.

2014 APRO7

Mill Test Certificate approved by: