

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.bri-steel.com

Product: Seamless Carbon Steel Pipe

Product Heat Number:

BSM-1733

Product Size: 16S100

Production Date: Mar 26, 2014

Certificate No.: MTR- 000987

Product Standards: Production Method: **Hot Expansion**

Product Heat Treatment: As-rolled

ASME B36.10-2004, ASTM/ASME A/SA106-2013 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Product Markings

NPS 16 SCH 100 1.031 INCHWT SMLS 2014/03 NDE

MANUFARTERED HEAT BSM-1733 (PIPE # LENGTH MASS) 164.8lb/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

BSN			Π
BSM-1733		Heat	
Heat		Test Type	
NPS 16 SCH 100 1.031in. WT		Product Size	Product: Details
2		Pieces	
DRL		Length	
164.8	lb/ft	Mass	
Ġ	μR/hr	Geiger	
<20	Gauss	Res. Mag.	
Pass	Insp.	Visual	
Pass		OD	No
Pass	WT	TU	Non-Destructive Testing
Pass	ASTM E213 ASTM	TU	tive Testing
Pass	ASTM	ET	
*		HydroTest	
Plain End	Condition	End	

Heat Steeln BSM-1733 Blast Furnace; EAF Degas; Fully Killed	
SteeIn Blast Furnace; EAF Degas; Fully Killed	
Steelmaking Method Blast Furnace; EAF, Ladle Refining; Vacuum Degas; Fully Killed	
Test Type Heat Product	
C 0.20 0.20	
Mn 0.93 0.90	
P 0.015 0.014	
S Si 0.0003 0.30 0.0006 0.31 0.006	Chamical
Si 0.30 0.31	Applycic (
Cr 0.06 0.06	+02
Cu 0.03 0.07	
0.01 0.01	
0.03	
0.003 0.003	
0.002 0.002	
0.001 0.001	
B 0.0003 0.0003	
CE(IIW) - 0.37	
CE(CSA) - 0.37	

	BSM-1733 Heat F		Heat Test Type	
	Ferrite & Pearlite		Microstructure	100
AGE CONTROL CO	76 HRBW		Hardness	
	Pass		Flattening Test	~
	Longitudinal; 19.05 mm x WT	50mm GL	Tension Test	Mechanical Properties
	46,600	psi	Yield (Rt0.5)	
	68,000	psi	Tensile (Rm)	
	0.69	(Rt0.5/Rm)	٧/٢	
	49	%	Elongation (A)	

	В	Г		
	BSM-1733		Heat	
	1	Standard	Test	
	1	Sample Details	Impact Test	
		°C	Temp	
	-	J		
	-	J	Impact	
	-	J	Energy	
	-	AVG		
	t	%		
	ı	%	% Shear	
	r	%	lear	
	t	AVG		
		mm	Lateral Expansion	
	ı	mm		
	-	mm		
10000	1	AVG		

Additional Details:

- \checkmark We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in meet the corresponding requirements. accordance with ASTM/ASME A/SA106-2013 Grade B A/SA53-2012, and the purchase order requirements, and that the results
- √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- ✓ This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.
- * Note that this product was hydrotested to 1000 psi for 5 seconds.

Mill Test Certificate approved by:

18 Souther 2014 APR OF

Assistant QA Manager Paul Sowden, T.T.