

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.bri-steel.com

Product: Seamless Carbon Steel Pipe

Production Method: Hot Expansion

Product Standards:

Product Heat Number:

BSM-1757 Product Size: 30STD

Production Date: Apr 10, 2014

Certificate No.: MTR- 001049

ASME B36.10-2004, ASTM/ASME A/SA106-2013 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010 **Product Heat Treatment:** As-rolled

Product Markings NPS 30 STD 0.375 INCHWT SMLS 2014/04 NDE 600PSI

ENVIRONMENTAL HEAT BSM-1757 (PIPE # LENGTH MASS) 118.6lb/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

		Product: Details							No	on-Destruct	Non-Destructive Testing			
U-2+	7 7										0.000			
Неат	lest lype	Product Size	Pieces	Length	Mass	Geiger	Res. Mag.	Visual	OD	TU	UT	ΕT	HydroTest	End
					lb/ft	μR/hr	Gauss	Insp.		VΤ	ASTM E213 ASTM	ASTM	600 PSI/ 5 s	Condition
BSM-1757	Heat	NPS 30 STD 0.375in. WT	2	DRL	118.6	6	<10	Pass	Pass	Pass	Pass	Pass	Pass	34° Bevel
				90.										

	-	POINT-T/2/		Heat	
	Degas, Fully Milled	Degac Fully Killed	art Europea EAE, India Dataine Ma	Steelmaking Method	
Product		Heat		Test Type	
t 0.21	0.0000000000000000000000000000000000000	0.20		C	
0.87		0.87		Mn	
0.011		0.011		Ъ	
0.014		0.012		S	Chemical
0.23		0.22		<u>S</u>	nemical Analysis (wt%)
0.03		0.03		ر	Wt%)
0.08		0.01		5	
0.01		0.02		<u>≼</u>	
0.03		0.04		Z.	
0.003				<	
100.0				Ξ.	
0.001				dN	
0.0004	030000000000000000000000000000000000000	0.0003		В	
0.37			,	CE(IIW)	
0.37		,	-1000	CF(CSA)	

/C/T-IAICO	DCM 17F7			nedi	111	
неат				lest Type	1	
Ferrite & Pearlite				Microstructure		
74 HRBW				Hardness		
Pass				Flattening Test	ı	
Longitudinal; 38.1 mm x WT		50mm GL	1)	Tension Test		Mechanical Properties
42,800		psi		Yield (Rt0.5)		
69,500		psi.		Tensile (Rm)		
0.62		(Rt0.5/Rm)	•	Y/T		
 41	2000	%		Elongation (A)		

	BSM-1757 -					неат	
				Stailuaiu	Ctondord	lest	
		j		sample Details		Impact Test	
		1		۲,	6	Temp	
		,		ے			
		ī		_		Impact	
		t		J		Energy	
		1		AVG			
	1			%			
				%		% Shear	
		ľ		%		ear	
		ı		AVG			
	ı			mm			
				mm		Lateral Expansion	
		ı		mm		noisnea	
				AVG			

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with ASTM/ASME A/SA106-2013 Grade B A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements.
- ✓ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

2014 MAY 6

Paul Sowden, T.T.

Assistant QA Manager