

Product:

Seamless Carbon Steel Pipe

Mill Test Certificate

Bri-Steel Manufacturing Inc. 2125-64 Avenue, Edmonton, AB Canada T6P 1Z4

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.bri-steel.com

Product Heat Number: BSM-1806 Product Size: 20S140 Production Date:

May 01, 2014

Product Standards: Production Method: ASME B36.10-2004, ASTM/ASME A/SA106-2013 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010 **Hot Expansion Product Heat Treatment:** As-rolled Certificate No.: MTR- 001074

Product Markings NPS 20 SCH 140 1.750 INCHWT SMLS 2014/05 NDE

HEAT BSM-1806 (PIPE # LENGTH MASS) 341.1lb/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

BSM-1806		Heat	
Heat		Test Type	
NPS 20 SCH 140 1.750in. WT		Product Size	Product: Details
2		Pieces	
DRL		Length	
341.1	lb/ft	Mass	
<5	μR/hr	Geiger	
<10	Gauss	Res. Mag.	
Pass	Insp.	Visual	
Pass		OD	Z
Pass	TW	TU	Non-Destructive Testing
Pass	ASTM E213 ASTM	TU	tive Testing
Pass	ASTM	ET	
*		HydroTest	
Plain End	Condition	End	

ŀ																	
7	0.37	0.0003	0.001	0.002	0.002	0.02	0.01	0.05	0.05	0.31	0.011 0.002	0.011	0.93	0.20	Product	regas, runy sineu	
	1	0.0003	0.001	0.002	0.001	0.02	0.00	0.06	0.04	0.28	0.004	0.008	0.90	0.18	Heat	Blast Furnace; EAF; Ladle Refining; Vacuum	BSM-1806
	CE(IIW	В	Nb	Ti	<	Z.	Мо	Cu	Cr	Si	S	P	Mn	С	Test Type	Steelmaking Method	Heat
									wt%)	Analysis (Chemical Analysis (wt%)						
•																	

47	0.59	68,500	40,300	Longitudinal; 19.05 mm x WT	Pass	75 HRBW	Ferrite & Pearlite	Heat	BSM-1806
%	(Rt0.5/Rm)	psi	psi	50mm GL					
Elongation (A)	7/7	Tensile (Rm)	Yield (Rt0.5)	Tension Test	Flattening Test	Hardness	Microstructure	Test Type	Heat
				Mechanical Properties					

Heat	Test	Impact Test	Temp		Impact	Energy			% SI	% Shear			Lateral Expansion	(pansion	
	Standard	Sample Details	ე°	J	Ĺ	ſ	AVG	%	%	%	AVG	mm	mm	mm	AVG
BSM-1806	1	ī	1	1						1	,	•	ı	•	1

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in meet the corresponding requirements. accordance with ASTM/ASME A/SA106-2013 Grade B A/SA53-2012, and the purchase order requirements, and that the results
- \checkmark This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- √ This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.
- * Note that this product was hydrotested to 1100 psi for 5 seconds.
- OD Tolerances as per API 5L (

Mill Test Certificate approved by:

Banker

2014 MAY 15

Paul Sowden, T.T.
Assistant QA Manager