

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.bri-steel.com

Product: Seamless Carbon Steel Pipe

Product Standards: Production Method:

Product Heat Number:

BSM-1808 Product Size: 20S140

Production Date: May 01, 2014

Certificate No.: MTR- 001260

ASME B36.10-2004, ASTM/ASME A/SA106-2013 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010 Hot Expansion Product Heat Treatment: As-rolled

Product Markings

NBRI-STEEL NPS 20 SCH 140 1.750 INCHWT SMLS 2014/05 NDE

HEAT BSM-1808 (PIPE # LENGTH MASS) 341.1lb/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

BSM-1808	Γ		
1808		Heat	
Heat		Test Type	
NPS 20 SCH 140 1.750in. WT		Product Size	Product: Details
1		Pieces	
DRL		Length	
341.1	lb/ft	Mass	
<5	μR/hr	Geiger	
<10	Gauss	Res. Mag.	
Pass	Insp.	Visual	
Pass		OD	No
Pass	TW	TU	Non-Destructive Testing
Pass	ASTM E213 ASTM	UT	ive Testing
Pass	ASTM	ET	
*	,	HydroTest	
Plain End	Condition	End	

	BSM-1808	Heat	
orgas, any amon	8 Blast Furnace; EAF; Ladle Refining; Vacuum	Steelmaking Method	
Product	Heat	Test Type	
0.20	0.20	С	
0.88	0.94	Mn	
0.010	0.009	P	
0.004	0.003	S	Chemical Analysis (wt%
0.29	0.30	Si	Analysis (
 0.05	0.03	Cr	wt%)
0.06	0.05	Си	
0.01	0.01	Mo	
0.03	0.02	N:	
0.003	0.001	٧	
200.0	0.002	IL	
100.0	0.001	dN	
0.0003	0.0003	В	
0.36	1	CE(IIW)	
0.36	ı	CE(CSA)	

52	0.56	65,000	36,500	Longitudinal; 19.05 mm x WT	Pass	73 HRBW	Ferrite & Pearlite	Heat	BSM-1808
%	(Rt0.5/Rm)	psi	psi	50mm GL					
Elongation (A)	Υ/Τ	Tensile (Rm)	Yield (Rt0.5)	Tension Test	Flattening Test	Hardness	Microstructure	Test Type	Heat
		500		Mechanical Properties					

	BSM-1808		Heat	
	1	Standard	Test	
	í	Sample Details	Impact Test	
		ငိ	Temp	
		_		
	-	_	Impact	
	1	J	Energy	
		AVG		
The second secon	1	%		
	,	%	% Sh	
Contract of the Contract of th		%	% Shear	
100000	1	AVG		
	u	mm		
	1	mm	Lateral E	
		mm	kpansion	
	171	AVG		

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in meet the corresponding requirements. accordance with ASTM/ASME A/SA106-2013 Grade B A/SA53-2012, and the purchase order requirements, and that the results
- √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.
- * Note that this product was hydrotested to 1100 psi for 5 seconds.

Mill Test Certificate approved by:

7014 ンファ 2

Assistant QA Manager Paul Sowden, T.T.