

Mill Test Certificate

Bri-Steel Manufacturing Inc. 2125-64 Avenue, Edmonton, AB Canada T6P 1Z4

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.bri-steel.com

Product: Seamless Carbon Steel Pipe

Product Heat Number:

BSM-1995

Product Size: 18STD

Production Date: Aug 27, 2014

Certificate No.: MTR- 001309

Production Method: Hot Expansion

Product Markings

Product Standards:

Product Heat Treatment:

As-rolled

ASME B36.10-2004, API 5L-45th Ed. Grade B/X42 PSL1, ASTM/ASME A/SA106-2013 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

| CAPI & L/C No. > API SPEC 5L NPS 18 STD 0.375 INCHWT GR B/X42 PSL1 SMLS 2014/08 NDE 1490PSI

- 1	Pass	Pass	Pass	Pass	Pass	<10	5	70.59	DRL	32	NPS 18 STD 0.375in. WT	Heat	BSM-1995
1	ASTM	ASTM E213 ASTM 1490 PSI/ 5 s Condition	WΤ		Insp.	Gauss	μR/hr	lb/ft					
_	ET	TU	TU	OD	Visual	Res. Mag.	Geiger	Mass	Pieces Length	Pieces	Product Size	Test Type	Heat
		Non-Destructive Testing	วท-Destruct	No							Product: Details		
CANA	MADEIN	(0175/MR0103	B NACE MR	A/SA53 GR	A106 GR B	M/ASME A/S	59lb/ft AST	TH MASS) 70.5	TPE # LENGT	M-1995 (P	MARCIENTE HEAT BSM-1995 (PIPE # LENGTH MASS) 70.59lb/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA		

	BSM-1995	Heat Steel	
		Steelmaking Method	
Product	Heat	Test Type	
0.23	0.21	C	
0.91	0.93	Mn	
0.014 0.005	0.014	Р	
0.005	0.005	S	Chemical Analysis (wt%)
0.22	0.23	Si	Analysis (
0.03	0.02	Cr	wt%)
0.02	0.03	Cu	
0.01	0.01	Mo	
0.01	0.01	Ni	
0.003	0.003	٧	
0.024	0.020	Τi	
0.001		Мb	
0.0004	0.0006	В	
0.39	-	CE(IIW)	
0.39	-	CE(CSA)	

	BSM-1995		Heat		
	Heat		Test Type		
	Ferrite & Pearlite		Microstructure		
	78 HRBW		Hardness		
	Pass		Flattening Test		
	Longitudinal; 38.1 mm x WT	50mm GL	Tension Test	Mechanical Properties	
The second secon	47,200	psi	Yield (Rt0.5)		
Control of the Contro	69,500	psi	Tensile (Rm)		
Comments and Comments and Comments of the Comm	0.68	(Rt0.5/Rm)	Τ/Υ		
The second secon	41	%	Elongation (A)		

The second secon	BSM-1995		Heat
100 to 10		Standard	Test
	T	Sample Details	Impact Test
	•	°C	Temp
	ı	_	
		J	Impact
	ı	J	Energy
	ı	AVG	
	ı	%	
	t	%	% Shear
	ar e	%	near .
	ľ	AVG	
	1	mm	
	ı	mm	Lateral Expansion
	-	mm	xpansion
	ı	AVG	

Additional Details:

- \checkmark We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in that the results meet the corresponding requirements. accordance with API 5L-45th Ed., ASTM/ASME A/SA106-2013 Grade B A/SA53-2012, and the purchase order requirements, and
- √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- ✓ This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

Tonya Lam, C.E.T.

Assistant QA Manager