

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986

www.bri-steel.com

Product: Seamless Carbon Steel Pipe

Product Heat Number: BSM-2019

Product Size: 24S60

Production Date:

Certificate No.: MTR- 001351 Sep 17, 2014

Production Method: Hot Expansion Product Heat Treatment:

ASME B36.10-2004, API 5L-45th Ed. Grade B PSL1, ASTM/ASME A/SA106-2013 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010 As-rolled

Product Markings

Product Standards:

<API & L/C No.> API SPEC 5L NPS 24 SCH 60 0.969 INCHWT GR B PSL1 SMLS 2014/09 NDE 1900PSI

HEAT BSM-2019 (PIPE # LENGTH MASS) 238.1lb/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

-	(77)		T	7	Ш			
	BSM-2019	Heat			BSM-2019		Heat	
Blast Furnace; EAF; Ladle Refining; Vacuum Degas; Fully Killed		Ste			Heat		Test Type	
		Steelmaking Method			NPS 24 SCH 60 0.969in. WT		Product Size	Product: Details
1	Heat	Test Type			1. WT		-P	tails
0 10	0.19	C			3		Pieces	
Drod.ic+ 0 10 0 000	0.85	Δ'n			DRL		Length	
0007 0011 000	_	P			238.1	lb/ft	Mass	
2	0.006 0.012 0.20	S	Chemical Analysis (wt%)		<5	μR/hr	Geiger	
	0.20	Si	nalysis (
2 22	0.05	Cr	wt%)		<10	Gauss	Res. Mag.	
2 2 2	0.05	Си			Pass	Insp.	Visual	
2	0.01	Mo			Pass		OD	Z
200	0.03	Z.			Pass	TW	TU	Non-Destructive Testing
2000		٧			Pass	ASTM I	TU	ctive Test
0004		Ti			S	E213		ing
200		Nb			Pass	ASTM E213 ASTM	ET	
0 0000	0.0003	В			Pass	1900 PSI/ 5 s Condition	HydroTest	
22	ı	CE(IIW)				5 5 (tse	
2		CE(IIW) CE(CSA)			Plain End	Condition	End	

BSM-2019		Heat		- Constitution
Heat		Test Type		
Ferrite & Pearlite		Microstructure		
72 HRBW		Hardness		
Pass		Flattening Test		
Longitudinal; 19.05 mm x WT	50mm GL	Tension Test	Mechanical Properties	
38,000	psi	Yield (Rt0.5)		
67,500	psi	Tensile (Rm)		
0.56	(Rt0.5/Rm)	1/4		
45	%	Elongation (A)		

Product

0.19

0.86

0.007

0.014

0.20

0.05

0.05

0.01

0.03

0.002

0.001 0.001 0.0003

0.35

0.35

BSM-2019		Heat
r	Standard	Test
c	Sample Details	Impact Test
1	ငိ	Temp
1	_	
ı	_	Impact
1	_	Energy
	AVG	
	%	
ı	%	% Shear
	%	ear
3	AVG	
	mm	
1	mm	Lateral Ex
-	mm	al Expansion
,	AVG	

Additional Details:

✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with API 5L-45th Ed., ASTM/ASME A/SA106-2013 Grade B A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements. Bri-Steel Manufacturing is registered and certified to ISO-9001:2008 and API Q1.

√ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1

✓ No weld repairs have been performed on this product.

 \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes

 \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

Sept/22/2014

Tonya Lam, C.E.T.

Assistant QA Manager