

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.bri-steel.com

Seamless Carbon Steel Pipe

Hot Expansion

Product Heat Number:

Product Heat Treatment:

As-rolled

BSM-2056

Product Size: 24S60

Production Date: Sep 30, 2014

ASME B36.10-2004, API 5L-45th Ed. Grade B PSL1, ASTM/ASME A/SA106-2014 Grade B NDE, A/SA53-2012 Grade B Type S, NACE MR0175-2009 MR0103-2010

Certificate No.: MTR- 001390

Product Markings

Product Standards: Production Method:

<API & L/C No.> API SPEC 5L NPS 24 SCH 60 0.969 INCHWT GR B PSL1 SMLS 2014/09 NDE 1900PSI

HEAT BSM-2056 (PIPE # LENGTH MASS) 238.1lb/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

DOIN	RSM-2056		Heat		
11000	Host		Test Type		
141.3 24 3C11 00 0.303111. WI	T/W HIDD U DD HJJS NC SQIN		Product Size	Product: Details	
U	п		Pieces		
טאר	781		Length		
1.007	220 1	lb/ft	Mass		
ô	\\	μR/hr	Geiger		
\sqr	3	Gauss	Res. Mag.		
Pass		Insp.	Visual		
Pass	,		OD	Z	
Pass	,	WT	대	on-Destruc	
Pass	,	ASTM E213	UŢ	Non-Destructive Testing	
Pass	,	ASTM	町		
Pass		1900 PSI/ 5 s	HydroTest		
Plain End		5 s Condition	End		

	BSM-2056	Heat	
	Blast Furnace; EAF; Ladle Refining; Vacuum	Steelmaking Method	
Product	Heat	Test Type	
0.20	0.19	С	
0.85	0.85	Mn	
0.007	0.006	P	
0.012	0.012	S	Chemical
0.20	0.20	Si	Chemical Analysis (wt%)
0.05	0.05	Cr	wt%)
0.06	0.05	Cu	
0.01	0.01	Mo	
0.03	0.03	N:	
0.002		٧	
0.001		Ti	
0.001		Nb	
0.0002	0.0003	В	
0.36	ı	CE(IIW)	
0.36	r	CE(CSA)	

BSM		_	
BSM-2056		Heat	
Heat		Test Type	
Ferrite & Pearlite		Microstructure	
74 HRBW		Hardness	
Pass		Flattening Test	
Longitudinal; 19.05 mm x WT	50mm GL	Tension Test	Mechanical Properties
39,600	psi	Yield (Rt0.5)	
000,89	psi	Tensile (Rm)	
0.58	(Rt0.5/Rm)	۲/۲	
47	%	Elongation (A)	

BSM-2056			Heat
		Standard	Test
	ı	Sample Details	Impact Test
	-	c	Temp
	ı	_	
	ı	_	Impact
		_	Energy
	ı	AVG	
	:1:	%	
200		%	% Shea
	r	%	ıear
CONTRACTOR OF THE PROPERTY OF	1	AVG	
See and Course out	-	mm	
The second secon	ı	mm	Lateral Ex
The second secon	1	mm	xpansion
		AVG	

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with API 5L-45th Ed., ASTM/ASME A/SA106-2014 Grade B A/SA53-2012, and the purchase order requirements, and that the results meet the corresponding requirements. Bri-Steel Manufacturing is registered and certified to ISO-9001:2008 and API Q1.
- √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2010 Section 2.1
- ✓ No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

dt 102/2014

Tonya Lam, C.E.T.

Assistant QA Manager