

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.bri-steel.com

Product: Seamless Carbon Steel Pipe

Production Method: Product Standards:

Product Heat Number:

BSM-2169

Product Size: 24S60

Production Date: Dec 04, 2014

Hot Expansion Product Heat Treatment: As-rolled

> Certificate No.: MTR-001491

ASME B36.10-2004, API 5L-45th Ed. Grade B PSL1, ASTM/ASME A106-2014/SA106-2013 Grade B NDE, A53-2012/SA53-2013 Grade B Type S, NACE MR0175-2009 MR0103-2012

Product Markings

<API & L/C No.> API SPEC 5L NPS 24 SCH 60 0.969 INCHWT GR B PSL1 SMLS 2014/12 NDE 1900PSI

HEAT BSM-2169 (PIPE # LENGTH MASS) 238.1lb/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

		Product: Details							N	on-Destruct	Non-Destructive Testing			
Heat	Test Type	Product Size	Pieces	Length	Mass	Geiger	Res. Mag.	Visual	QD	TU	TU	ET	HydroTest	End
					lb/ft	μR/hr	Gauss	Insp.		ΥT	ASTM E213 ASTM		1900 PSI/ 5 s	5 _s Condition
BSM-2169	Heat	NPS 24 SCH 60 0.969in. WT	6	DRL	238.1	Ġ	<10	Pass	Pass	Pass	Pass	Pass	Pass	Plain End
					2									

	Т	1			_	т
Heat				BSM-2169	Heat	
Test Type			o chas, i any mica	Blast Furnace; EAF;	Steelm	
Microstructure			200	Blast Furnace; EAF; Ladle Refining; Vacuum	Steelmaking Method	
Han			Product 0.18 0.86 0.007 0.014 0.20 0.05	Heat	Test Type	
Hardness			0.18	0.19	C	
Flattening Test			0.86	0.85	Μ'n	
ng Test			0.007	0.006 0.012 0.20 0.05	P	
	Mechanical Properties		0.014	0.012	S	Chemical Analysis (Wt%)
Tens	al Propert		0.20	0.20	Si	Analysis (v
Tension Test	ties		0.05	0.05	Cr	VT%)
			0.05	0.05	Cu	
Yield			0.01	0.01	Мо	
Yield (Rt0.5)			0.03	0.03	N:	
Tensile (Rm)			0.003		٧	
e (Rm)			0.001		Ti	
Τ/Υ			0.001		Nb	
			0.0002	2000.0	В	
Elongation (A)			0.003 0.001 0.001 0.0002 0.34 0.34	-	CE(IIW) CE(CSA)	
on (A)			0.34	1	CE(CSA)	

Heat	Test	Impact Test	Temp		Impact	: Energy			% SI	Shear			Lateral E	xpansion	
	Standard	Sample Details	ကိ	_	_	J	AVG	%	%	%	AVG	mm	mm	mm	AVG
BSM-2169	:12	1		1	-	1		ı	г	r	T)	ı	1	r	
													200		

Additional Details:

BSM-2169

Heat

Ferrite & Pearlite

74 HRBW

Pass

Longitudinal; 25.4 mm x WT

38,500

67,000

Tension Test 50mm GL

Yield (Rt0.5)

(Rt0.5/Rm) 0.57

Elongation (A)

48

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with API 5L-45th Ed., ASTM/ASME A106-2014/SA106-2013 Grade B A53-2012/SA53-2013, and the purchase order requirements, and that the results meet the corresponding requirements. Bri-Steel Manufacturing is registered and certified to ISO-9001:2008 and API Q1
- /This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE
- ✓ No weld repairs have been performed on this product.
- \checkmark This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

Tonya Lam, C.E.T.

Assistant QA Manager