

Mill Test Certificate

Bri-Steel Manufacturing Inc. 2125-64 Avenue, Edmonton, AB Canada T6P 1Z4

Tel: 001 (780) 469-6603 Fax: 001 (780) 469-6986

www.bri-steel.com

Product: Seamless Carbon Steel Pipe

Hot Expansion

Product Heat Number: BSM-2197

Product Size: 18T80

Production Date: Dec 11, 2014

Product Heat Treatment: As-rolled

ASME B36.10-2004, ASTM/ASME A106-2014/SA106-2013 Grade B NDE, A53-2012/SA53-2013 Grade B Type S, NACE MR0175-2009 MR0103-2012

Certificate No.: MTR- 001512

Product Markings

Production Method: Product Standards:

brirteel

NPS 18 TRUE 80 0.940 INCHWT SMLS 2014/12 NDE 2500PSI

HEAT BSM-2197 (PIPE # LENGTH MASS) 170.8lb/ft ASTM/ASME A/SA106 GR B A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

	BSM-2197		Heat	
	Heat		Test Type	
	NPS 18 TRUE 80 0.940in. WT		Product Size	Product: Details
	1		Pieces	
	DRL		Pieces Length	
	170.8	lb/ft	Mass	
	5	μR/hr	Geiger	
	20	Gauss	Res. Mag.	
3	Pass	Insp.	Visual	
	Pass		OD	No
	Pass	TW	UT	n-Destruct
	Pass	ASTM E213 ASTM	UI	Non-Destructive Testing
	Pass	ASTM	ET	
	Pass	2500 PSI/ 5 s	HydroTest	
	Plain End	5 s Condition	End	

Heat Steelmaking Method Test Type C Mn P S Si C BSM-2197 Blast Furnace; EAF; Ladle Refining; Vacuum Heat 0.20 0.90 0.017 0.011 0.23 0.2 Product 0.21 0.92 0.011 0.008 0.22 0.2
Test Type C Mn P Heat 0.20 0.90 0.017 Product 0.21 0.92 0.011
C Mn P 0.20 0.90 0.017 0.21 0.92 0.011
Mn P 0.90 0.017 0.92 0.011
Mn P S Si 0.90 0.017 0.011 0.23 0.92 0.011 0.008 0.22
Chemical Analysi. P S Si 0.017 0.011 0.23 0.011 0.008 0.22
S Si 0.011 0.23 0.008 0.22
Analysi. Si 0.23 0.22
0.06
Cu 0.08 0.07
Mo 0.02 0.03
0.06 0.04
0.005
Ti 0.001
Nb
B 0.0003 0.0003
CE(IIW) - 0.39
CE(CSA) - 0.39

В	Т		Г
BSM-2197		Heat	
Heat		Test Type	
Ferrite & Pearlite		Microstructure	
77 HRBW		Hardness	
Pass		Flattening Test	
Longitudinal; 19.05 mm x WT	50mm GL	Tension Test	Mechanical Properties
 39,900	psi	Yield (Rt0.5)	
70,500	psi	Tensile (Rm)	
0.57	(Rt0.5/Rm)	Υ/Τ	
43	%	Elongation (A)	

	B	Т	_	
	BSM-2197		Heat	
	1	Standard	Test	
	ī	Sample Details	Impact Test	
	ı	ိုင်	Temp	
		J		
		J	Impact	
	t	_	Energy	
	ı	AVG		
	1	%		
	t	%	% Shear	
		%	ear	
	1	AVG		
	1	mm	25-30	
	3 1 0	mm	_ateral Exp	
	-	mm	(pansion	
	•	AVG		

Additional Details:

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with ASTM/ASME A106-2014/SA106-2013 Grade B A53-2012/SA53-2013, and the purchase order requirements, and that the results meet the corresponding requirements. Bri-Steel Manufacturing is registered and certified to ISO-9001:2008 and API Q1.
- √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2012 Section 2.1
- ✓ No weld repairs have been performed on this product.
- ✓ This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

Them Dec /18/2014

Tonya Lam, C.E.T.

Assistant QA Manager