

## Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc. Fax: 001 (780) 469-6986 Tel: 001 (780) 469-6603 www.bri-steel.com

Product: Seamless Carbon Steel Pipe

> Product Heat Number: BSM-2330 Product Size: 20STD

> > Production Date: Apr 06, 2015

Production Method: Hot Expansion

ASME B36.10-2004, API 5L-45th Ed. Grade B/X42 PSL1, ASTM/ASME A106-2014/SA106-2013 Grade B/C NDE, A53-2012/SA53-2013 Grade B Type S, NACE MR0175-2009 MR0103-**Product Heat Treatment:** As-rolled Certificate No.: MTR- 001715

**Product Markings** 

Product Standards:

HEAT BSM-2330 (PIPE # LENGTH MASS) 78.6lb/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA <API & L/C No.> API SPEC 5L NPS 20 STD 0.375 INCHWT GR B/X42 PSL1 SMLS 2015/04 NDE 1420PSI

		Product: Details	SIIE								z	on-Destru	Non-Destructive Testing	9				
Heat	Test Type	Product Size	Pie	Pieces	Length	Mass	Geiger	Res, Mag.	Mag.	Visual	OD	TU	TU		ET	HydroTest	ist	End
				-		lb/ft	μR/hr	Gauss	SS	Insp.		TW	ASTM E2	13 AST	M E309	ASTM E213 ASTM E309 1420 PSI/	5 s C	5 <sub>s</sub> Condition
BSM-2330	Heat	NPS 20 STD 0.375in. WT		15	DRL	78.6	<5	<10	0	Pass	Pass	Pass	Pass		Pass	Pass	32	32.5° Bevel
						С	Chemical Analysis (wt%)	ıalysis (w	t%)									
Heat	Stee	Steelmaking Method	Test Type	С	Mn	P	S	Si	Cr	Cu	Мо	N:	<	Ti	Nb	В	CE(IIW)	CE(CSA)
BSM-2330	Blast Furnace; E.	Blast Furnace; EAF; Ladle Refining; Vacuum	Heat	0.21	0.94	0.008	0.001	0.23	0.03	0.01	0.01	0.01	0.003	1	1	ı	ı	-
	Degas, Fully Nilled	c	Product	0.21	0.94	0.010	0.003	0.24	0.04	0.01	0.01	0.01	0.003	0.002	0.001	0.0004	0.38	0.38
				0.20	0.93	0.010	0.003	0.23	0.03	0.01	0.01	0.01	0.002	0.001	0.001	0.0003	0.36	0.36
						7	Mechanical Properties	Properti	es									
Heat	Test Type	Microstructure	Harc	Hardness	Flatter	Flattening Test		Tensi	Tension Test		Yield	Yield (Rt0.5)	Tensile (Rm)	Rm)	Υ/Τ		Elongation (A)	ion (A)
								50m	50mm GL			psi	psi		(Rt0.5/Rm)	۹m)	%	
BSM-2330	Heat	Ferrite & Pearlite	75 H	75 HRBW	P	Pass	Long	Longitudinal; 38.1 mm x	38.1 mr	TW x m	4:	43,000	70,500	ŏ	0.61		41	,

	Heat	
Standard	Test	
Sample Details	Impact Test	
ငိ	Temp	
J		
J	Impac	
ſ	t Energy	
AVG		
%		
%	% Shear	
%	ıear	
AVG		
mm		
mm	Lateral Expansion	
mm	xpansion	
AVG		

## Additional Details:

BSM-2330

- ✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing Inc. in accordance with API 5L-45th Ed., ASTM/ASME A106-2014/SA106-2013 Grade B/C AS3-2012/SA53-2013, and the purchase order requirements, and that the results meet the corresponding requirements. Bri-Steel Manufacturing is registered and certified to ISO-9001:2008 and API Q1
- √ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2012 Section 2.1
- ✓ No weld repairs have been performed on this product.
- $\checkmark$  This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.
- $\checkmark$  This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Mill Test Certificate approved by:

2015 Apr 7

Manager of Quality and R&D Kenton Dechant, P.Eng.