

Product:

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 Bri-Steel Manufacturing Inc.

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.bri-steel.com

Seamless Carbon Steel Pipe Product Heat Number: BSM-2381 Product Size: 20STD Production Date: May 05, 2015

Product Standards: Production Method: ASME B36.10-2004, API 5L-45th Ed. Grade B/X42 PSL1, ASTM/ASME A106-2014/SA106-2013 Grade B/C NDE, A53-2012/SA53-2013 Grade B Type S, NACE MR0175-2009 MR0103-Hot Expansion Product Heat Treatment: As-rolled Certificate No.: MTR- 001764

Product Markings

< API & L/C No.> API SPEC 5L NPS 20 STD 0.375 INCHWT 78.6LB/FT GR B/X42 PSL1 SMLS 2015/05 NDE 1420PSI HEAT BSM-2381 (PIPE # LENGTH MASS) 78.6lb/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

			_
BSM-2381		Heat	
Heat		Test Type	
NPS 20 STD 0.375in. WT		Product Size	Product: Details
23		Pieces	
DRL		Length	
78.6	lb/ft	Mass	
<5	μR/hr	Geiger	
<20	Gauss	Res. Mag.	
Pass	insp.	Visual	
Pass		OD	N.
Pass	WT	TU	on-Destruc
Pass	ASTM E213	TU	Non-Destructive Testing
Pass	ASTM E309	13	
Pass	1420PSI/ 5 s	HydroTest	
32.5° Bevel	Condition	End	
	NPS 20 STD 0.375in. WT 23 DRL 78.6 <5 <20 Pass Pass Pass Pass Pass Pass	Heat NPS 20 STD 0.375in. WT 23 DRL 78.6 <5 <20 Pass Pass Pass Pass Pass Pass Pass Pas	Test Type Product Size Pieces Length Mass Geiger Res. Mag. Visual OD UT UT ET HydroTest Ib/ft LR/hr Gauss Insp. WT ASTM E309 1420 PSI/ 5 s Heat NPS 20 STD 0.375in. WT 23 DRL 78.6 <5 <20 Pass Pass Pass Pass Pass Pass

						Contract of the land	. menton	10121									
Heat	Steelmaking Method	Test Type	С	Mn	Р	S	iS	Cr	Cu	Мо	N:	<	Τi	qN	В	CE(IIW)	CE(CSA)
3SM-2381	Blast Furnace; EAF; Ladle Refining; Vacuum	Heat	0.17	1.21	0.012	0.002	0.26	0.03	0.01	0.01	0.01	0.046	1	1	1	1	1
	Degas, runy nineu	Product	0.18	1.22	0.008	0.003	0.30	0.03	0.02	0.01	0.01	0.055	0.003	0.002	5000.0	0.40	0.40
			0.18	1.21	0.008	0.008 0.003 0.30	0.30	0.03	0.02	0.01	0.01	0.054	0.002	0.001	0.0004	0.40	0.40
						200											The second second

BS

Mechanical Properties

Heat Test Type Microstructure Hardness Flattening Test Tension Test Yield (Rt0.5) Tensile (Rm) Y/T Elongation (A) 2 in. GL psi psi (Rt0.5/Rm) % 1-2381 Heat Ferrite & Pearlite 79 HRBW Pass Longitudinal; 1.5 in. x WT 49,600 74,000 0.67 46										
Test Type Microstructure Hardness Flattening Test Tension Test Yield (Rt0.5) Tensi	46	0.67	74,000	49,600	Longitudinal; 1.5 in. x WT	Pass	79 HRBW	Ferrite & Pearlite	Heat	BSM-2381
Test Type Microstructure Hardness Flattening Test Tension Test Yield (Rt0.5)	%	(Rt0.5/Rm)	psi	psi	2 in. GL					
	Elongation (A)	Υ/Τ	Tensile (Rm)	Yield (Rt0.5)	Tension Test	Flattening Test	Hardness	Microstructure	Test Type	Heat

BSM-2381		Heat
ı	Standard	Test
-	Sample Details	Impact Test
-	၁ိ	Temp
1	J	
1	J	Impact
	J	t Energy
	AVG	
•	%	
	%	% Shear
-	%	near
-	AVG	
3	mm	78.00
1	mm	Lateral Expansion
ı	mm	xpansion
t	AVG	

Additional Details:

✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing in accordance with API 5L-45th Ed., ASTM/ASME A106-2014/SA106-2013 Grade B/C A53-2012/SA53-2013, and the purchase order requirements, and that the results meet the corresponding requirements. Bri-Steel Manufacturing is registered and certified to ISO-9001:2008 and API Q1.

√ This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service-2009 NACE MR0103-2012 Section 2.1

✓ No weld repairs have been performed on this product.

√ This product has not come into contact with mercury during the Bri-Steel Manufacturing processes

 \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Tonya Lam, C.E.T.

Mill Test Certificate approved by:

Assistant QA Manager