

Mill Test Certificate

2125-64 Avenue, Edmonton, AB Canada T6P 1Z4 **Bri-Steel Manufacturing**

Tel: 001 (780) 469-6603

Fax: 001 (780) 469-6986 www.bri-steel.com

Production Method: Product: Seamless Carbon Steel Pipe Hot Expansion

> Product Heat Number: BSM-2512

Product Heat Treatment:

Product Size: NPS 18 STD

Production Date: Sep 02, 2015

ThermoMechanical Formed Certificate No.: MTR- 001931

Product Standards: ASME B36.10-2004, API 5L-45th Ed. GradeB/X42 PSL1, ASTM/ASME A106-2014/SA106-2013 Grade B/C NDE, A53-2012/SA53-2013 Grade B Type S, NACE MR0175-2009 MR0103-

Product Markings

<API & L/C No.> API SPEC 5L NPS 18 STD 0.375 INCHWT GRB/X42 PSL1 SMLS 2015/09 NDE 1490PSI HEAT BSM-2512 (PIPE # LENGTH MASS) 70.59lb/ft ASTM/ASME A/SA106 GR B/C A/SA53 GR B NACE MR0175/MR0103 MADE IN CANADA

	BSN		6000	
	BSM-2512		Heat	
	Heat		Test Type	
	NPS 18 STD 0.375in. WT		Product Size	Product: Details
	11		Pieces	
	DRL		Length	
5	70.59	lb/ft	Mass	
Chemical Analysis (wt%	<5	μR/hr	Geiger	
vsis (wt%)	<20	Gauss	Res. Mag.	
	Pass	Insp.	Visual	
	Pass		OD	No
	Pass	TW	TU	on-Destruc
	Pass	ASTM E213	TU	Non-Destructive Testing
	Pass	ASTM E309	ET	
	Pass	ASTM E213 ASTM E309 1490 PSI/ 5 s Condition	HydroTest	
	32° Bevel	s Condition	End	

				D48800 00	0.0000000000000000000000000000000000000	and the same of the same of	The state of the s	1000									
Heat	Steelmaking Method	Test Type	С	Mn	Р	S	Si	ሪ	C	Mo	<u>Z</u>	<	Ħ	Nb	В	CE(IIW)	CE(CSA)
SM-2512	Blast Furnace; EAF; Ladle Refining; Vacuum	Heat	0.16	1.16	0.010	0.002	0.27	0.01	0.01	0.01	0.02	0.050	0.001	0.001	0.0001	0.37	0.36
	CCOCC, I WITH MICCO	Product	0.17	1.15	0.009	0.003	0.29	0.03	0.01	0.01	0.02	0.054	0.002	0.001	0.0003	0.38	0.38
			0.18	1.17	0.010	0.003	0.29	0.03	0.01	0.01	0.02	0.054	0.002	0.001	0.0003	0.40	0.40
						Section 1900 to the contract	30,000	24/108/						85			The second second

BSN

Mechanical Properties

	100								
41	0.67	76,500	51,500	Longitudinal; 1.5 in. x WT	Pass	81 HRBW	Ferrite & Pearlite	Heat	BSM-2512
%	(Rt0.5/Rm)	psi	psi	2 in. GL					
Elongation	Y/T	Tensile (Rm)	Yield (Rt0.5)	Tension Test	Flattening Test	Hardness	Microstructure	Test Type	Heat

Heat	Test	Impact Test	Temp		Impact	Energy			% Shear	ear			Lateral Expansion	xpansion	
	Standard	Sample Details)°C	ľ	J	J	AVG	%	%	%	AVG	mm	mm	mm	AVG
BSM-2512		± E	3	at	ा	i	1	1	ı	ı	34	1	1		ı

Additional Details:

✓ We hereby certify that this pipe product was manufactured, sampled, tested and inspected by Bri-Steel Manufacturing in accordance with API 5L-45th Ed., ASTM/ASME A106-2014/SA106-2013, A53-2012/SA53-2013, and the purchase order requirements, and that the results meet the corresponding requirements. Bri-Steel Manufacturing is registered and certified to ISO-9001:2008 and API Q1.

Mill Test Certificate approved by:

This pipe product meets the sour service requirements of NACE MR0175/ISO 15156-2:2009 Annex A2 for Region 3 Sour Service , and NACE MR0103-2012 Section 2.1

No weld repairs have been performed on this product.

✓ This product has not come into contact with mercury during the Bri-Steel Manufacturing processes.

 \checkmark This certificate represents a quality control system that is compliant with EN 10204:2004 Type 3.1.

Tonya Lam, C.E.T.

Assistant QA Manager